



CHURCHILL

Certificate of Food Safety and Declaration of Compliance

OCTOBER 2020

Churchill China P.LC, certifies that the product categories listed below are characterised by the Standards below and comply with the referenced standards.

Ceramic Articles in Contact with Food.

We hereby confirm that all whiteware ceramic articles, carrying our mark and unmodified, including those identified as, Art. WHDGB11 Art. STAGEVP81 meet the relevant requirements for Council Directive 84/500/EEC of 15 October 1984 on the approximation of the laws of the Member States relating to ceramic articles intended to come into contact with foodstuffs as amended by Commission Directive 2005/31/EC of 29 April 2005 and Regulation (EC) 1935/2004 Materials and Articles Intended to Come into Contact with Food and repealing Directives 80/590/EEC and 89/109/EEC. UK product is produced in line with Commission Regulation (EC) no. 2023/2006 on good manufacturing practice for materials and articles intended to come into contact with food.

United States of America Federal Standards, Food and Drug Administration (FDA), compliance policy guide, 7117.06 (Cadmium) and 7117/07 (Lead). California Proposition 65, Safe Drinking Water and Toxic Enforcement Act, consent judgement compliance tested for upon request and relates specifically to products manufactured with our manufacturing site, within the U.K.

All testing is conducted within our UKAS Accredited Laboratory, at Churchill China, High Street, Sandyford, Tunstall, Stoke-on-Trent, Staffordshire, England.

Typical Values

Values quoted are for Flatware.

Lead	<0.07 ppm	Limit Prop 65, 0.226 ppm and FDA, 3 ppm
Cadmium	<0.02 ppm	Limit Prop 65, 3.164 ppm and FDA, 0.5 ppm

Churchill China (UK) Limited

No 1

Marlborough Way

Tunstall

Stoke-on-Trent ST6 5NZ

Paul Scragg
Technical Director.